Author Index

Attia, H. A., 181

Berg, G. J., 7
Binsaroor, A. S., 63
Bismil, M. A., 157
Brown, E. P. M., 135

Chen, S.-T., 99
Chen, T. C., 51
Coowar, F., 215

Deeb, N. I., 121

Elabdalla, A. M., 147
Elangovan, S., 25

Farrag, M. A., 181

Gaber, A. Z., 203
Girgis, A. A., 41

Hamdan, A. M. A., 147
Harley, R. G., 31
Hoole, P. R. P., 215
Huang, C. L., 51

Jamaleddine, A., 107

Kakoti, G. C., 233
Keyhani, A., 15
Kohler, J. L., 189

Lim, C. M., 25
Lin, C. E., 51
Lo, K. L., 157
Lu, Q., 89

McColl, R. D., 157
Makram, E. B., 31, 41
Matsuura, K., 219
Miri, S. M., 15
Moffatt, A. M., 157

Natarajan, R., 189

Rousselet, J., 107

Shahidehpour, S. M., 121
Sharaf, T. A. M., 7
Singh, L. P., 203
Sottile, J., 189

Tiwari, S. N., 63
Tsang, C. P., 77
Tsui, Y. T., 173

Verma, H. K., 233

Weedy, B. M., 1, 197, 229
Wong, K. P., 77

Xu, W., 89

Yang, C., 219
Yu, D. C., 99

Zambrano, V. O., 31

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aeolian (see Eolian)
Air-filled surface trough
  for 400 kV cables, thermal assessment of, 1
Air temperatures
  in deep cable tunnel, 229
Alga
  -contaminated string insulators in tropics, discharge characteristics of, 215
Algorithms
  for microprocessor-based distance relaying, new, 233

Cable tunnel
  air temperatures in deep, 229
Cables
  thermal assessment of air-filled surface trough for 400 kV, 1
Computer technique
  for development of three-phase impedance matrix for unbalanced power systems, generalized, 41
Conductor height
  effect of, and terrain on steady-state induced voltage and transient current through linesman's body on de-energized line, 219

De-energized line
  effect of conductor height and terrain on steady-state induced voltage and transient current through linesman's body on, 219
Digital stabilizer design
  for optimal performance of power systems, 25
Discharge characteristics
  of alga-contaminated string insulators in tropics, 215
Distance relaying
  new algorithms for microprocessor-based, 233
Distribution ring networks
  logic programming approach to fault diagnosis in, 77
Dynamic response
  of two-conductor bundle to eolian excitation, 107

Electrical quantities
  analogy between thermal and, 197
Electromagnetic device
  nonlinear modelling of magnetic saturation and hysteresis in, 15
Eolian excitation
  dynamic response of two-conductor bundle to, 107
Eolian vibration
  modern developments in, 173

Fault diagnosis
  in distribution ring networks, logic programming approach to, 77
Faults
  synchronous generator stability due to multiple, on unbalanced power systems, 31

Generator stability
  synchronous, due to multiple faults on unbalanced power systems, 31
Geometric measures
  of modal controllability and observability of power system models, 147

Harmonics
  problems in using state estimation in power systems which have poor quality high voltage measurements, phase imbalance and high levels of, 135
Hysteresis
  nonlinear modelling of magnetic saturation and, in electromagnetic device, 15

Impedance matrix
  for unbalanced power systems, generalized computer technique for development of three-phase, 41
Induction motors
  condition monitoring of slip-ring, 189
Insulators
  discharge characteristics of alga-contaminated string, in tropics, 215

Line loss
  optimal control of static VAR compensator for minimization of, 51
Line outage studies
  in power systems, fast and exact method for, 181
Linear programming approach
  efficient technique for reactive power dispatch using revised, 121
Linesman's body
  effect of conductor height and terrain on steady-state induced voltage and transient current through, on de-energized line, 219
Logic programming approach
  to fault diagnosis in distribution ring networks, 77

Magnetic saturation
  and hysteresis in electromagnetic device, nonlinear modelling of, 15
Microprocessor
  -based distance relaying, new algorithms for, 233
Modal controllability
  and observability of power system models, geometric measures of, 147
Multimachine power systems
  new stabilizer design technique for, 89
MW ranking methods
  comparison of, 157

© Elsevier Sequoia/Printed in The Netherlands

Nonlinear modelling
of magnetic saturation and hysteresis in electromagnetic device, 15

Optimal control
of static VAR compensator for minimization of line loss, 51
Optimal performance
of power systems, digital stabilizer design for, 25

Park's transformation
investigation of symmetries inherent in synchronous machines and development of generalized, based solely upon symmetries, 203
Phase imbalance
problems in using state estimation in power systems which have poor quality high voltage measurements, and high levels of harmonics, 135
Power engineering applications
assessment of programming languages in, 99
Power system models
geometric measures of modal controllability and observability of, 147
Power systems
digital stabilizer design for optimal performance of, 31
fast and exact method for line outage studies, 181
which have poor quality high voltage measurements, phase imbalance and high levels of harmonics, problems in using state estimation in, 135
new stabilizer design technique for multimachine, 89
synchronous generator stability due to multiple faults on unbalanced, 31
three-phase impedance matrix for unbalanced, generalized computer technique for development of, 41
Programming languages
in power engineering applications, assessment of, 99

Reactive power dispatch
efficient technique for, using revised linear programming approach, 121
Reliability
constrained transmission capacity assessment, 7

Slip-ring induction motors
condition monitoring, 189
Stabilizer design
digital, for optimal performance of power systems, 25
technique for multimachine power systems, new, 89
State estimation
problems in using, in power systems which have poor quality high voltage measurements, phase imbalance and high levels of harmonics, 135
String insulators
discharge characteristics of alga-contaminated, in tropics, 215
Symmetries
investigation of, inherent in synchronous machines and development of generalized Park's transformation based solely upon, 203
Synchronous generator stability
due to multiple faults on unbalanced power systems, 31
Synchronous machines
investigation of symmetries inherent in, and development of generalized Park's transformation based solely upon symmetries, 203

Temperatures
air, in deep cable tunnel, 229
Terrain
effect of conductor height and, on steady-state induced voltage and transient current through linesman's body on de-energized line, 219
Thermal assessment
of air-filled surface trough for 400 kV cables, 1
Thermal quantities
analogy between, and electrical quantities, 197
Transient current
effect of conductor height and terrain on steady-state induced voltage and, through linesman's body on de-energized line, 219
Transmission capacity assessment
reliability constrained, 7
Transmission line parameters
evaluation of twelve-phase (multiphase), 63
Tropics
discharge characteristics of alga-contaminated string insulators in, 215
Two-conductor bundle
dynamic response of, to eolian excitation, 107

Unbalanced power systems
generalized computer technique for development of three-phase impedance matrix for, 41
synchronous generator stability due to multiple faults on, 31

VAR compensator
for minimization of line loss, optimal control of static, 51
Voltage
effect of conductor height and terrain on steady-state induced, and transient current through linesman's body on de-energized line, 219
Voltage measurements
power systems which have poor quality high, phase imbalance and high levels of harmonics, problems in using state estimation in, 135